

module-info.java file contents

module module.name - declares module.name

requires module.name - this module depends on module module.name

requires transitive module.name - this means that any module that reads your module implicitly also reads the transitive module or module specifically referenced.

exports pkg.name - this module exports public members in package pkg.name

exports pkg.name to module.name - this module allows the target module to access public members in package pkg.name

uses class.name - this module declares itself as a consumer for service class.name

provides class.name with class.name.impl - provides an implementation of a service for others to consume

opens pkg.name - allows reflective access to the private members of package pkg.name

opens pkg.name to module.name - opens private members of package pkg.name to the given module

Manifest attributes

Automatic-Module-Name: module.name - declares stable module name for non-modularized jar

Add-Exports: <module>/<package> - exports the package to all unnamed modules

Add-Opens: <module>/<package> - opens the package to all unnamed modules

Java command line options

--module-path or **(-p)** is the module path; its value is one or more directories that contain modules.

--add-reads src.module=target.module - a command-line form of a `requires` clause in a module declaration.

--add-exports src.module/pkg.name=target.module - a command line form of an `exports` clause.

--add-opens src.module/pkg.name=target.module - a command line form of the `open` clause in a module description.

--add-modules - adds the indicated modules to the default set of root modules.

--list-modules - displays the names and version strings of the observable modules.

--patch-module - adds or overrides classes in a module. Replaces `-Xbootclasspath/p`.

--illegal-access=permit|warn|deny - relaxes strong encapsulation of the module system; Java 9 default is `permit`.

Mechanism	Compile Access	Reflection Access
Export	all code → public	all code → public
Qualified Export	specified modules → public	specified modules → public
Open Package	none ❌	all code → private
Qualified Open Package	none ❌	specified modules → private
Open Module	none ❌	all code → private
Default	none ❌	none ❌

Module types

Java SE and JDK modules - modules provided by JDK: `java.base`, `java.xml`, etc.

Named application module - your application modules; contains `module-info.class`; explicitly exports packages; can't read the unnamed module.

Automatic module - non-modular jar on the module-path; exports all packages; name derived from the **Automatic-Module-Name** `MANIFEST.MF` entry or the filename; can read all modules.

Unnamed module - all jars/classes on the classpath; can read all modules.